



HOCKEY CALGARY

CAN I ATTEND HOCKEY TODAY?

HOUSEHOLD CLOSE CONTACT OF A CONFIRMED COVID-19 CASE

IF YOU'RE NOT FULLY IMMUNIZED, YOU ARE STRONGLY RECOMMENDED TO STAY HOME FOR 14 DAYS. DO NOT LEAVE HOME TO GO TO WORK, SCHOOL, SOCIAL EVENTS OR ANY OTHER PUBLIC GATHERINGS.
IF YOU'RE FULLY IMMUNIZED, WATCH FOR SYMPTOMS. IF YOU DEVELOP SYMPTOMS, ISOLATE AND GET TESTED RIGHT AWAY. TAKE PRECAUTIONS SUCH AS PHYSICAL DISTANCING, WEARING A MASK AND WASHING OR SANITIZING YOUR HANDS OFTEN

SECONDARY COVID-19 SYMPTOMS**
UNDER 18
CANNOT ATTEND HOCKEY

CORE COVID-19 SYMPTOMS*
UNDER 18
CANNOT ATTEND HOCKEY

CONFIRMED CASE OF COVID-19
CANNOT ATTEND HOCKEY

1 SYMPTOM: STAY HOME FOR 24 HOURS, GET TESTED IF SYMPTOMS DON'T IMPROVE.

NOT FULLY VACCINATED
ISOLATE FOR 10 DAYS OR UNTIL SYMPTOMS RESOLVE, WHICHEVER IS LONGER.

FULLY VACCINATED
ISOLATE UNTIL COVID-19 SYMPTOMS ARE RESOLVED AND RECEIVED A NEGATIVE TEST RESULT

FULLY VACCINATED
SYMPTOMATIC

FULLY VACCINATED
ASYMPTOMATIC

NOT FULLY VACCINATED
ASYMPTOMATIC

NOT FULLY VACCINATED
SYMPTOMATIC

2+ SYMPTOMS: GET TESTED AND STAY HOME UNTIL SYMPTOMS RESOLVE.

ISOLATE FOR 5 DAYS OR UNTIL SYMPTOMS RESOLVE, WHICHEVER IS LONGER. FOR 5 DAYS FOLLOWING ISOLATION, WEAR A MASK AT ALL TIMES WHEN AROUND OTHERS OUTSIDE OF HOME
CANNOT PARTICIPATE ON THE ICE FOR 10 DAYS

POSITIVE & FULLY VACCINATED

POSITIVE BY RAPID TEST
ISOLATE. TAKE SECOND RAPID TEST IN 24 HOURS
NEGATIVE, ISOLATION CAN END UNLESS YOU DEVELOP SYMPTOMS.

POSITIVE & NOT FULLY VACCINATED

ISOLATE FOR 10 DAYS OR UNTIL SYMPTOMS RESOLVE, WHICHEVER IS LONGER.

YES! ATTEND HOCKEY

FAQ'S
CLICK ABOVE

***COVID-19 SYMPTOMS:**
COUGH, FEVER, SHORTNESS OF BREATH, LOSS OF SMELL OR TASTE

NOTE: SYMPTOMS AND TESTING INFORMATION ARE DIFFERENT FOR ADULTS OVER 18.

RESOURCES (LINKED): [SYMPTOMS AND TESTING](#)
[ISOLATION AND QUARANTINE](#)
[RAPID TESTING AT HOME](#)
[CLOSE CONTACTS](#)

****SECONDARY SYMPTOMS:**
SORE THROAT, RUNNY NOSE, CHILLS, PAINFUL SWALLOWING, STUFFY NOSE, HEADACHE, MUSCLE OR JOINT ACHES, FATIGUE OR SEVERE EXHAUSTION, PINK EYE, GASTROINTESTINAL SYMPTOMS